Section I - Product and Company Information

Product Name

Ouiktitanium[™]

CAS Number

Mixture

HMIS Hazard Ratings

緊急連絡先 所在地と同じ

Health:

1

Fire:

0

Reactivity: 0

PPE:

В

社名

株式会MonotaRO

所在地

兵庫県尼崎市西向島町231-2

GLP尼崎3階

担当者名 電話番号 Fax番号 商品お問合せ窓口 0120-443-509 0120-289-888

Section II - Ingredient and Hazard Information

8							
Hazardous Ingredients	CAS Number	%	TSCA	Health	Fire	React.	PPE
Diglycidyl Ethers of Bisphenol A Resins	25068-38-6	10-15	Y	2	1	0	В
Aliphatic Amine Mixture	Unknown Mixture	1 - 3	Y	2	1	0	В
Polyamide Resin	6841020	3 - 5	Y	1	1	0	В
Polyamide Resin	6841031	3 - 5	Y	1	1	0	В
Zinc Sulfide	1314-98-3	5 - 10	Y	1	0	0	E

Note: All Materials in this product are listed in the TSCA inventory.

Section III - Physical Data

Form:

Putty

Appearance/Color:

Titanium/White

Odor:

Sweet/Ammoniac/Sulfuric

Solubility (in Water):

Negligible

Boiling Range:

N/E

Vapor Pressure (mmHg):

N/E N/E

Evaporation Rate:

N/E

Vapor Density

< 1%

% Volatile

< 1%

VOC Specific Gravity

1.85/1.96 avg = 1.90

Note: The physical data represented above are typical values and should not be construed as a specification. For additional physical data and details on use, please obtain a data sheet for this product.

Section IV – Fire and Explosion Hazard Data

Flammability Class:

IIIB

Flash Range:

> 300 F N/E

Explosive Range: Extinguishing Media:

CO, CO₂, Water spray, Dry Chemicals, Foams

Unusual Hazards:

May Emit oxides of sulfur, carbon and nitrogen.

N/A = Not Applicable, N/E = Not Evaluated, N/Av = Not Available

04/19/99

QuiktitaniumTM

Page 1 of 4

Fire Fighters and others who may be exposed to the products of combustion should be equipped with NIOSH approved positive pressure self-contained breathing apparatus (SCBA) and full protective clothing. Keep people away, stay upwind, and isolate the fire area.

Section	T 7		 **		-
L AATIAM	•/	1100		~ ~~	I loto
Section	· -	1100	 	-	11414

Hazardous Ingredient	Lethal Dose Information:	Oral	Dermal	Inhale	LC50
Diglycidyl Ethers of Bisphenol A Resins	1.0	11400 mg/kg	20000 mg/kg	N/Av	N/Av
Aliphatic Amine Mixture		> 500 mg.kg	> 1000 mg.kg	N/Av	N/Av
Polyamide Resin		N/Av	N/Av	N/Av	N/Av
Polyamide Resin		N/Av	N/Av	N/Av	N/Av
Zinc Sulfide		N/Av	N/Av	N/Av	N/Av

Permissible Exposure Level Effects of Overexposure:

N/E

Inhalation Dizziness, drowsiness, loss of consciousness

Ingestion Irritation of digestive tract, digestive discomfort

Skin Contact Redness irritation, swelling. May cause allergic sensitization. Eye Contact Redness irritation, swelling. May cause allergic sensitization.

First Aid:

Inhalation Remove to fresh air.
Ingestion Seek Medical Advice.

Skin Contact Wash thoroughly with plenty of soap and water. If irritation

persists, seek medical advice.

Eye Contact Flush with water for at least 15 minutes. Seek medical advice.

Note: Never give anything by mouth to an unconscious person.

Section VI - Stability and Reactivity Data

Stability:

This product is stable

Hazardous Polymerization:

Will not occur

Incompatibility:

None

Conditions to Avoid:

None

Hazardous Decomposition Products

Oxides of sulfur, carbon, and nitrogen.

Section VII - Spill and Leak Procedures

Steps to be Taken:

Dispose of in normal manner.

Waste Disposal Method:

Incinerate or bury in landfill ion accordance to all applicable regulations.

Cured product is not a hazardous waste.

Section VIII - Exposure Controls/Personal Protection

1						
Hazardous Ingredient	Occupational	ACGIH	ACGIH	ACGIH	OSHA	OSHA
	Exposure Limits:	TLV	TLV - C	STEL	STEL	PEL
Diglycidyl Ethers of Bisphenol A Resins		N/av	N/av	N/av	N/av	N/av
Aliphatic Amine Mixture		N/av	N/av	N/av	N/av	N/av
Polyamide Resin	greeth . The . The	N/av	N/av	N/av	N/av	N/av

N/A = Not Applicable, N/E = Not Evaluated, N/Av = Not Available

04/19/99 QuiktitaniumTM Page 2 of 4

Protective Equipment Types:

Eyes: Safety Glasses or Goggles

Respiratory: None required unless sanding or abrading.

Gloves: When mixing by hand appropriate impervious gloves are recommended.

Because a wide variety of protective gloves exist, consult glove manufacturer

for recommendations.

Other: None required

Ventilation:

General Mechanical: None required.

Local Exhaust: None required.

Section IX Handling and Storage

Handling:

Storage Temperature: Below 90 °F

Storage Conditions: Store in cool, dry, well ventilated area.

Transfer: No special precautions are needed. Follow good manufacturing and handling

practices.

Personal Hygiene Wash thoroughly after handling, especially before eating, smoking, and using

restroom facilities. Wash contaminated gloves. Launder contaminated

clothing before reuse.

Empty Container Precautions: Attention! This container can be hazardous when empty. Follow label

cautions even after the container is empty since empty containers could retain product residues. Do not re-use empty containers for food, clothing, products for human or animal consumption, or where contact with such can occur.

Section X - Regulatory Information

SARA TITLE III SECTION 313:

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right to Know Act of 1986 and of 40 CFR 372:

CAS Number	Chemical Name		%
1314-98-3	Zinc Sulfide	5 - 10	
OSHA Hazard Communi	cation Standard		
1314-98-3	Zinc Sulfide	5 - 10	
Right-to-Know			

The non-hazardous ingredients in this product subject to the Pennsylvania, New Jersey, and/or Massachusetts Right-To-Know laws are:

CAS

14807-96-6

471-34-1

7440-32-6

66402-68-4

CAS

Magnesium Silicate Hydrate
Calcium Carbonate
Titanium Powder
Soda Lime Borosilicate Glass

N/A = Not Applicable, N/E = Not Evaluated, N/Av = Not Available

04/19/99 QuiktitaniumTM Page 3 of 4

Note:

USERS RESPONSIBILITY: A bulletin such as this cannot be expected to cover all possible individual situations. As the user has the responsibility to provide a safe workplace, all aspects of an individual operation should be examined to determine if, or where, precautions – in addition to those described herein – are required. Any health hazard and safety information herein should be passed on to your customers or employees as the case may be.

DISCLAMER OF LIABILITY: The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Final determination of suitability of the chemical is the sole responsibility of the user. No representation of warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any other nature are made hereunder with respect to the information refers. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.