
図面/規格 【ピアス皿】



	サイズ	ねじ部	十字穴	頭部径 φdk	頭部 高さh	ねじ径 ød	ドリル 外径	最小 働き長さ	最大 働き長さ	適用板厚	最大 削孔板厚	サイズ	ねじ部	十字穴	頭部径 φdk	頭部 高さh	ねじ径 ød	ドリル 外径	最小 働き長さ	最大 働き長さ	適用板厚	最大 削孔板厚
	3.5X10	全ねじ	#2	7.0	2.3	3.5	2.7	3.5※1	3.5	1.2~2.3※2	2.3	5X13	全ねじ	#2				3.9	5.0	6.0	1.6~2.3	2.3
	3.5X13	全ねじ	#2				2.9	3.5	6.0	1.2~2.3%3	2.3%4	5X16	全ねじ	#2					5.0	6.0	1.6~4.3	3.2
	3.5X16	全ねじ	#2					3.5	9.0	1.2~2.3%3	2.3%4	5X19	全ねじ	#2					5.0	8.0	1.6~4.5	4.5※11
	3.5X19	全ねじ	#2					3.5	12.0	1.2~2.3%3	2.3%4	5X22※5	全ねじ	#2					5.0	11.0	1.6~4.5	3.2
	3.5X25	全ねじ	#2					3.5	18.0	1.2~2.3	2.3	5X25	全ねじ	#2					5.0	14.0	1.6~4.5	4.5※11
	4X10	全ねじ	#2				3.2%6	2.6	4.0	1.6~2.6※7	2.3	5X30	全ねじ	#2					5.0	19.0	1.6~4.5	4.5※11
EA949EF-241 EA949EF-242 EA949EF-243 EA949EF-244	4X13	全ねじ	#2	-				4.0	5.0	1.6~3.2%8	3.2	5X35	全ねじ	#2		3.4 4.8 **9		4.0 ※10	5.0	24.0	1.6~4.5	4.5※11
	4X16	全ねじ	#2					4.0	7.0	1.6~3.2%8	3.2	5X40	全ねじ	#2	10.0				5.0	29.0	1.6~4.5	4.5※11
	4X19	全ねじ	#2					4.0	10.0	1.6~3.2%8	3.2	5X45	全ねじ	#2	10.0				5.0	34.0	1.6~4.5	4.5※11
	4X25	全ねじ	#2					4.0	16.0	1.6~3.2%8	3.2	5X50X30	30	#2					22.0	39.0	1.6~4.5	4.5※11
	4X30	全ねじ	#2	8.0	2.6	4.2	3.2 ※6	4.0	21.0	1.6~3.2%8	3.2	5X60X42	42	#2					20.0	49.0	1.6~4.5	4.5
	4X35	全ねじ	#2					4.0	26.0	1.6~3.2%8	3.2	5X65X42	42	#2				25.0	54.0	1.6~4.5	4.5	
	4X40	全ねじ	#2					4.0	31.0	1.6~3.2%8	3.2	5X70X42	42	#2					30.0	59.0	1.6~4.5	4.5
	4X45X37	37	#2					10.0	36.0	1.6~3.2%8	3.2	5X75X42	42	#2					35.0	64.0	1.6~4.5	4.5
	4X50X37	37	#2					15.0	41.0	1.6~3.2%8	3.2	5X80X42	42	#2					40.0	69.0	1.6~4.5	4.5
	4X55X37%5	37	#2					20.0	46.0	1.6~3.2%8	3.2	5X90X60	60	#2					32.0	79.0	1.6~4.5	4.5
	4X60X37	37	#2					25.0	51.0	1.6~3.2%8	3.2	6X25	全ねじ	#3			6.0	5.3	5.8	11.0	1.8~6.5	6.5 13
	4X65X37	37	#2					30.0	56.0	1.6~3.2%8	3.2	6X30	全ねじ	#3					5.8	16.0	1.8~6.5	6.5 13
	4X70X37	37	#2					35.0	61.0	1.6~3.2%8	3.2	6X35	全ねじ	#3	12.0	4.0 ※12			5.8	21.0	1.8~6.5	6.5※13
	4X75X37	37	#2					40.0	66.0	1.6~3.2%8	3.2	6X40	全ねじ	#3	12.0				5.8	26.0	1.8~6.5	6.5※13
												6X45	全ねじ	#3					5.8	31.0	1.8~6.5	6.5※13
												6X50	全ねじ	#3					5.8	36.0	1.8~6.5	6.5%13

※1:SUS410は2.3です。※2:SUS410は1.2~2.6です。※3:SUS410は1.2~3.2です。※4:SUS410は3.2です。

EA949EF-251 EA949EF-252 EA949EF-253

^{※5:}SUS410のみのサイズです。※6:SUS410は3.4です。※7:SUS410は1.4~2.5です。※8:SUS410は1.4~3.2です。

^{※9:}SUS410は5.0です。※10:SUS410は4.2です。※11:SUS410は3.2です。※12:SUS410は3.9です。 ※13:SUS410は4.5です。