


FORTA <FSシリーズ1>

詳細寸法表(間口1370mm～1530mm)




M: 棚板は346～1446まで12段調節
(100mmピッチ)

機種	面積 (㎡)	屋根回り寸法		土台回り寸法		高さ寸法		内部寸法		開口部寸法		内高	軒高	母屋中 の本数
		A	B	C	D	E	F	G	H	I	J	K	L	
FS-1409S	1.30	1,480	1,130	1,370	950	2,085	2,030	1,313	807	1,770	675	1,872	2,045	0
FS-1414S	1.88		1,550		1,370				1,227			1,844	2,045	1
FS-1415S	2.10		1,710		1,530				1,387			1,844	2,045	1
FS-1418S	2.45		1,970		1,790				1,647			1,828	2,045	2
FS-1422S	3.03		2,390		2,210				2,067			1,828	2,045	2
FS-1426S	3.60		2,810		2,630				2,487			1,819	2,045	3
FS-1509S	1.45	1,640	1,130	1,530	950	2,085	2,030	1,473	807	1,770	795	1,872	2,045	0
FS-1514S	2.10		1,550		1,370				1,227			1,844	2,045	1
FS-1515S	2.34		1,710		1,530				1,387			1,844	2,045	1
FS-1518S	2.74		1,970		1,790				1,647			1,828	2,045	2
FS-1522S	3.38		2,390		2,210				2,067			1,828	2,045	2
FS-1526S	4.02		2,810		2,630				2,487			1,819	2,045	3

単位:mm

FORTA <FSシリーズ2>

詳細寸法表(間口1790mm～2210mm)




M: 棚板はS:346～1446まで12段調節
H:346～1746まで15段調節
(100mmピッチ)

機種	面積 (㎡)	屋根回り寸法		土台回り寸法		高さ寸法		内部寸法		開口部寸法		内高	軒高	母屋中 の本数
		A	B	C	D	E	F	G	H	I	J	K	L	
FS-1809S (F)	1.70	1,900	1,130	1,790	950	2,085	2,030	1,733	807	1,770	954	1,872	2,045	0
FS-1814S (F)	2.45		1,550		1,370	2,085	2,030		1,227	1,770		一多: 1,844 豪: 1,814	2,045	1
FS-1814H (F)						2,385	2,330			2,070		一多: 2,144 豪: 2,114	2,345	
FS-1815S (F)	2.74		1,710		1,530	2,085	2,030		1,387	1,770		一多: 1,844 豪: 1,814	2,045	1
FS-1815H (F)						2,385	2,330			2,070		一多: 2,144 豪: 2,114	2,345	
FS-1818S (F)	3.20		1,970		1,790	2,085	2,030		1,647	1,770		一多: 1,828 豪: 1,798	2,045	2
FS-1818H (F)						2,385	2,330			2,070		一多: 2,128 豪: 2,098	2,345	
FS-1822S	3.96		2,390		2,210	2,085	2,030		2,067	1,770		一多: 1,828 豪: 1,798	2,045	2
FS-1822H						2,385	2,330			2,070		一多: 2,128 豪: 2,098	2,345	
FS-1826S	4.71		2,810		2,630	2,085	2,030		2,487	1,770		一多: 1,819 豪: 1,789	2,045	3
FS-1826H						2,385	2,330			2,070		一多: 2,119 豪: 2,089	2,345	
FS-2209S	2.10	2,320	1,130	2,210	950	2,085	2,030	2,153	807	1,770	1,248	1,872	2,045	0
FS-2214S (F)	3.03		1,550		1,370	2,085	2,030		1,227	1,770		一: 1,844 多豪: 1,814	2,045	1
FS-2214H (F)						2,385	2,330			2,070		一: 2,144 多豪: 2,114	2,345	
FS-2215S (F)	3.38		1,710		1,530	2,085	2,030		1,387	1,770		一: 1,844 多豪: 1,814	2,045	1
FS-2215H (F)						2,385	2,330			2,070		一: 2,144 多豪: 2,114	2,345	
FS-2218S (F)	3.96		1,970		1,790	2,085	2,030		1,647	1,770		一: 1,828 多豪: 1,798	2,045	2
FS-2218H (F)						2,385	2,330			2,070		一: 2,128 多豪: 2,098	2,345	
FS-2222S	4.88		2,390		2,210	2,085	2,030		2,067	1,770		一: 1,828 多豪: 1,798	2,045	2
FS-2222H						2,385	2,330			2,070		一: 2,128 多豪: 2,098	2,345	
FS-2226S	5.81		2,810		2,630	2,085	2,030		2,487	1,770		一: 1,819 多豪: 1,789	2,045	3
FS-2226H						2,385	2,330			2,070		一: 2,119 多豪: 2,089	2,345	
FS-2230S	6.74		3,230		3,050	2,085	2,030		2,907	1,770		一: 1,819 多豪: 1,789	2,045	3
FS-2230H						2,385	2,330			2,070		一: 2,119 多豪: 2,089	2,345	

単位:mm

FORTA <FSシリーズ3>

詳細寸法表(間口2630mm～3050mm)




M: 棚板はS:346～1446まで12段調節
H:346～1746まで15段調節
(100mmピッチ)

機種	面積 (㎡)	屋根回り寸法		土台回り寸法		高さ寸法		内部寸法		開口部寸法		内高	軒高	母屋中 の本数
		A	B	C	D	E	F	G	H	I	J	K	L	
FS-2609S (F)	2.50	2,740	1,130	2,630	950	2,085	2,030	2,573	842	1,770	1,143	1,872	2,045	0
FS-2614S (F)	3.60		1,550		1,370	2,085	2,030		1,262	1,770		一: 1,844 多豪: 1,814	2,045	1
FS-2614H (F)														
FS-2615S (F)	4.02		1,710		1,530	2,085	2,030		1,422	1,770		一: 1,844 多豪: 1,814	2,045	1
FS-2615H (F)														
FS-2618S (F)	4.71		1,970		1,790	2,085	2,030		1,682	1,770		一: 1,828 多豪: 1,798	2,045	2
FS-2618H (F)														
FS-2622S	5.81		2,390		2,210	2,085	2,030		2,102	1,770		一: 1,828 多豪: 1,798	2,045	2
FS-2622H														
FS-2626S	6.92		2,810		2,630	2,085	2,030		2,522	1,770		一: 1,819 多豪: 1,789	2,045	3
FS-2626H														
FS-2630S	8.02		3,230		3,050	2,085	2,030		2,942	1,770		一: 1,819 多豪: 1,789	2,045	3
FS-2630H														
FS-3009S (F)	2.90	3,160	1,130	3,050	950	2,085	2,030	2,993	842	1,770	1,353	1,872	2,045	0
FS-3014S (F)	4.18		1,550		1,370	2,085	2,030		1,262	1,770		1,814	2,045	1
FS-3015S (F)	4.67		1,710		1,530	2,085	2,030		1,422	1,770		1,814	2,045	1
FS-3018S (F)	5.46		1,970		1,790	2,085	2,030		1,682	1,770		1,798	2,045	2
FS-3018H (F)														
FS-3022S	6.74		2,390		2,210	2,085	2,030		2,102	1,770		1,798	2,045	2
FS-3022H														
FS-3026S	8.02		2,810		2,630	2,085	2,030		2,522	1,770		1,789	2,045	3
FS-3026H														
FS-3030S	9.30		3,230		3,050	2,085	2,030		2,942	1,770		1,789	2,045	3
FS-3030H														

単位:mm

FORTA <FSシリーズ4>

詳細寸法表(間口3540mm)




M: 棚板はS:346~1446まで12段調節
H:346~1746まで15段調節
(100mmピッチ)

機種	面積 (㎡)	屋根回り寸法		土台回り寸法		高さ寸法		内部寸法		開口部寸法		内高	軒高	母屋中 の本数
		A	B	C	D	E	F	G	H	I	J	K	L	
FS-3518S	6.21	3,580	1,970	3,470	1,790	2,085	2,030	3,413	1,724	1,723	1,236	1,798	2,045	2
FS-3518H						2,385	2,330			2,023		2,098	2,345	
FS-3522S	7.67		2,390		2,210	2,085	2,030		2,144	1,723		1,798	2,045	2
FS-3522H						2,385	2,330			2,023		2,098	2,345	
FS-3526S	9.13		2,810		2,630	2,085	2,030		2,564	1,723		1,789	2,045	3
FS-3526H						2,385	2,330			2,023		2,089	2,345	

単位:mm

FORTA <FSシリーズ5>

詳細寸法表(間口3580mm～5260mm)



※多雪型は梁中補強パネルが1枚、豪雪型は梁中補強パネルが2枚付きます。

L: 軒高2345

O: 梁中下内高2088

M: 棚板は一般型:346～1746まで15段調節 多雪・豪雪型:346～1646まで14段調節 (100mmピッチ)

機種	面積 (㎡)	屋根回り寸法		土台回り寸法		高さ寸法		内部寸法			開口部寸法		内高	母屋中 の本数
		A	B	C	D	E	F	G	H	N	I	J	K	
FS-3618H	6.41	3,690	1,970	3,580	1,790	2,385	2,330	3,523	1,717	多: 1,240 豪: 801	2,023	954	一多: 2,128 豪: 2,098	2
FS-3622H	7.91		2,390		2,210	2,385			2,137	多: 1,660 豪: 1,221			一多: 2,128 豪: 2,098	
FS-3626H	9.42		2,810		2,630	2,385			2,557	多: 2,080 豪: 1,641			一多: 2,119 豪: 2,089	
FS-4418H	7.91	4,530	1,970	4,420	1,790	2,385	2,330	4,363	1,717	多: 1,240 豪: 801	2,023	一多: 1,236 豪: 954	一: 2,128 多豪: 2,098	2
FS-4422H	9.77		2,390		2,210	2,385			2,137	多: 1,660 豪: 1,221		一多: 1,236 豪: 954	一: 2,128 多豪: 2,098	
FS-5218H	9.42	5,370	1,970	5,260	1,790	2,385	2,330	5,203	1,717	多: 1,240 豪: 801	2,023	一多: 1,236 豪: 954	一: 2,128 多豪: 2,098	2

単位:mm